

To: Liam.mcfadden@Newham.Gov.uk , Planning Officer, Newham Council

From: PHASE / info@planehellaction.org.uk

Date: 13.3.23

Plane Hell Action SE (PHASE)

<https://planehellaction.org.uk/>

OBJECTS to

Planning reference 22/03045/VAR: London City Airport – expansion plans to significantly increase passenger numbers from 6.5 million to 9 million, expand operations on Saturday afternoons and increase the number of early morning flights between 6.30am – 7am by 50%

Plane Hell Action SE (PHASE) represents those under Heathrow and London City Airport **arrivals** paths in S and SE London, as well as supporting a strategy for arrivals and departures operations that fairly considers those under flight paths.

Noise from aircraft has a significant impact on the health and wellbeing of the overflown. Indeed, two founder-campaigners for PHASE have left London due to the hellish impact of aircraft arrivals to Heathrow from 4.30am to 11.30pm (Kennington Park, Southwark) reducing their lives to an endurance and stressfully affecting their health and ability to work. Additionally, and relevant for our Objection, another was regularly subjected to London City arrivals at 80dB+ levels and was able to observe Heathrow flights overflying at the same time at 60dB+ (Imperial War Museum, Lambeth). Indeed, many of our fellow campaigners are impacted by easterly operation arrivals (or whatever strange wind direction arrangement triggers easterly operations for London City) and then suffer double overflight if easterly winds are below the airspeed trigger for Heathrow switching so they stay on westerly operations due to the bias.

Drawing heavily on the attached *London City Airport - a Citizen Research Study* (referred to as the *Study*) carried out by Tim Walker and John Doherty of Forest Hill Society for HACAN East we highlight how London City Airport's proposed expansion plans will impact detrimentally on residents in S and SE London. Many of our South London-based supporters feel the impact of aircraft turning north, both before **and after** the turn to London City Airport.

In the light of this *Study*, even with additional data, no consideration should be given to the change of London City Airport's operating hours or permitted plane movements. First, they should deliver tangible noise relief to overflown Londoners by implementing new flight paths that stay higher for longer and provide alternating relief routes. This, [London City] says, is due by 2027/28. However, the planning application under consideration intends to expand its hours of operation and use new generation planes sooner than this.

We should also note the cumulative noise impacts of the crossing of London City Airport flight paths with those to Heathrow; most of the above communities under London City Airport's arrivals or departure flight paths are also overflown by Heathrow, sometimes simultaneously at different heights.

Certainly, for SE London and perhaps for any London community overflowed by London City aircraft at 1800-2500ft (550m - 760m) above Mean Sea Level, increasing the number of overflights will increase the noise disturbance in direct proportion; it makes no noticeable difference whether the type of plane used is new or old generation.

At consultation events London City Airport has consistently claimed that under the SE London arrivals flight path we should expect new generation aircraft to be 2-3 decibels quieter than old generation aircraft. [The *Study*] did not find this to be the case. If new generation aircraft are at all quieter then it is by a very small margin, perhaps as little as 1 dBmax. A change of 3 decibels is 'just noticeable to the human ear' according to the Civil Aviation Authority (see Appendix 1 of the *Study*). So, any new generation plane overflying densely populated SE London will make the same noise impact on the ground as an older generation plane. There is no benefit to these overflowed areas from the airport's promise that only new generation planes will fly in any extended operating hours. [...] new generation aircraft are not noticeably quieter than old in other stages of flight, such as under the two narrow arrivals flight paths low over densely populated parts of Greenwich, Lewisham, Southwark, Lambeth and Bexley.

The airport is currently planning the introduction of an even bigger Embraer plane, the E195-E2 to fly this arrivals route. Given the alarming noise measurements shown [in the *Study*] and the apparently exaggerated claims the airport has made about noise from new generation aircraft, we should be very concerned about this new threat.

[The attached] *Study* concludes that there is no noticeable reduction in noise for the overflowed communities of SE London from new generation planes. London City Airport should therefore withhold any expansion plans or change in operating hours until the situation for the overflowed is improved by the introduction of new flight paths. New flight path priorities should include the introduction of Continuous Descent Approaches (see Appendix 1 of the *Study*) and alternative flight paths so that overflowed communities receive genuine noise reduction, planned quiet times and noise respite.

Additionally, and with reference to the letter to London City's CEO Robert Sinclair from Cllr Clyde Loakes, Deputy Leader and Cabinet Member for climate and Air Quality, Waltham Forest: Cllr Loakes' well-made points apply equally to the residents of S and SE London.

- We need relief from the noise and air pollution experienced as a result of London City's activity, not an intensification of these as is proposed
- It is anticipated that any noise reduction will be negligible, with this offset by a greater number of aircraft flying over S and SE London boroughs for longer hours
- The total emissions will increase from existing levels, a key conflict with local, regional and national targets on reducing emissions
- There appear to have been only limited consultation opportunities for residents thus ensuring that those likely to be most affected were denied the chance to understand and respond to the current application
- The level of technical knowledge required from largely non-technical residents to understand London City Airport's application is unreasonable
- It is known that particulate matter from aircraft emissions as tiny as PM2 is found below 3000ft at 12 miles distance from airport boundaries; PM2 has been found to

penetrate the human brain and lungs, and, frighteningly, the unborn baby in the womb, causing life-shortening health problems to current and future generations

- With the current move to reduce noise and emissions at ground level by encouraging the use of electrified public transport, electric over fossil-fuel cars, the ULEZ in London, cycling and walking it is extraordinary that any part of the aviation industry should push to increase noise and emissions for their own financial gain at the expense of the health and wellbeing of our residents, the majority of whom gain no benefit from the industry or the airports.

Bridget Bell – Kennington Park, Southwark

Dr Maureen Korda – IWM, Lambeth

Dan Scorer – Brockley, Lewisham

Plane Hell Action SE / PHASE / 13 March 2023

Attached: *London City Airport - a Citizen Research Study* (referred to above as the *Study*)
Waltham Forest Objects 14.2.23

Councillor Clyde Loakes

Deputy Leader and Cabinet Member for Climate and Air Quality



Cllr.Clyde.Loakes@walthamforest.gov.uk

14th February 202

To: Robert Sinclair
Chief Executive Officer
londoncityairport@cratus.co.uk
London City Airport Ltd
City Aviation House
Royal Docks
London
E16 2PB

Dear Robert,

Re: London City Airport Planning Application 22/03045/VAR

Further to your letter to the Leader of the Council on 10th February, and building on our previous consultation responses, the London Borough of Waltham Forest (LBWF) remains seriously concerned about expansion proposals at London City Airport and the impact this will have on the borough's residents.

Noise from aircraft has a significant impact on the health and wellbeing of residents in Waltham Forest. We are the third most overflowed borough in London because of our proximity to flightpaths from London City and Heathrow Airports, and fourth most overflowed borough by flights from London City Airport. The effect is particularly acute in the south of the borough with the communities of Leytonstone and Leyton facing the greatest cumulative impact.

London City Airport's latest proposals look to significantly increase passenger numbers at the airport from 6.5 to 9 million, expand operations on Saturday afternoons and increase the number of early morning flights between 06:30 and 07:00 by 50%.

These changes are likely to negatively impact Waltham Forest residents whilst also impairing our ability to meet UK, London, and local climate change targets- its suggested that aviation is the 5th highest contributor to emissions in Waltham Forest. Furthermore, they are likely to increase nitrogen dioxide levels and affect LBWF's ability to meet WHO pollution guidelines at a time when the Council has called for further powers and funding to address poor air quality within the borough as part of its ambitious Climate Action Plan.

Of principle concern, the Council opposes the end to Saturday respite for residents which has been in place since the airport opened. This would represent a fundamental shift to the operations and impact of the airport. In addition, the increase to flights early in the morning has the potential to impact on residents at a sensitive part of the day throughout the week.

It is also concerning that the airport has proposed this expansion in advance of the proposed flight path changes. Existing flight paths fly lower than are necessary due to needing to fly below the Heathrow flight path and therefore until changes could be made to the flight paths this issue will be exacerbated by the proposed changes, with particular impact for Leyton and Leytonstone's communities.



Comparison of maximum noise levels of New Generation and Old Generation aircraft in use at London City Airport - a Citizen Research Study.

First published 2022, updated Feb 2023

Summary

London City Airport (LCA) plans to expand its operating hours into Saturday afternoons and evenings. These periods are currently banned under its Planning Permissions in order to protect Londoners from City Airport's airplane noise at weekends. The airport persists in freely describing the 'new generation' planes it proposes to use more extensively as 'quieter and cleaner'. We set out to discover by measurement and analysis if they really are noticeably quieter in flight over our area.

We took 265 different maximum noise readings of London City-bound planes at several points under its concentrated arrivals flight path over SE London. This included both new and old generation planes. Our readings indicate that the new generation planes are not consistently quieter than old generation planes under this flight path, and that London City's claim is misleading and inaccurate.


The implication of our findings is that certainly for SE London and perhaps for any London community overflowed by London City aircraft at 1800-2500ft (550- 760m) above Mean Sea Level, increasing the number of overflights will increase the noise disturbance in direct proportion; it makes no noticeable difference whether the type of plane used is new or old generation.

A great deal of London City Airport's justification for its expansion plan relies on its claim that new generation planes will be quieter for the overflow, as old generation planes are replaced by new generation ones over time. This study provides evidence that LCA claims in this area are unreliable. As a result we believe that the airport must provide significant new measured and evidence-based noise data before policymakers give any consideration to expansion of flight volumes or changes of operating hours. This new evidence should cover areas across London under each of their flight paths. LCA currently focuses nearly all of its noise analysis on a narrowly defined 'noise contour' area close to the runway and relies largely on aircraft manufacturers for its data rather than real world measurement.

In the light of this study, even with additional data no consideration should be given to the change of London City Airport's operating hours or permitted plane movements. First, they should deliver tangible noise relief to overflowed Londoners by implementing new flight paths that stay higher for longer and provide alternating relief routes. This, they say, is due by 2027/28.

Flight Path

The LCA flight paths are set out by the airport below. In easterly wind conditions the airport uses a low (at or around 2000ft) concentrated single arrivals route over SE London then turning north towards the airport, shown by the pink east-west line.




The observed aircraft for this study vary in altitude above Mean Sea Level (MSL) from around 2400ft/740m in Mottingham in the east to 2000ft/610m at Horniman museum in the west. However London City aircraft have been recorded on the airport's tracking system as low as 1600ft/488m above MSL along this flight path.

With a hilly terrain in SE London, the height of observed planes above ground level varied from around 690m in Mottingham to only 540m at Horniman Gardens.


On westerly wind days aircraft approach and land directly from the east, low over the Thames Estuary and Thamesmead.

Results


1. We took 265 noise readings for the different aircraft types as set out below.




2. Across all locations and observations, there was only a very small average difference between new generation and old generation planes. These differences would not be noticeable to the human ear.



3. The noisiest plane, on average, was the new generation Airbus A220-100 – claimed by London City Airport to be a ‘quieter’ plane. The new generation Embraer E290 also known as the E190-E2 was on average 1.3 dBmax quieter than its predecessor, the Embraer E190. However this difference would not be noticeable to the human ear.



4. The noisiest location was at location 5 in the table below, the Horniman Museum and Gardens, one of SE London’s most treasured public park spaces, on a hill directly under the low flight path but still 22km flying distance from the airport. Readings here from all plane types were very high, most readings around 77-80 dBmax. Perhaps this is the noisiest place under London City’s flight path, excluding in the immediate vicinity of the airport runway.



Analysis and Conclusions

At consultation events LCA has consistently claimed that under the SE London arrivals flight path we should expect new generation aircraft to be 2-3 decibels quieter than old generation aircraft. We did not find this to be the case. If new generation aircraft are at all quieter then it is by a very small margin, perhaps as little as 1 dBmax. A change of 3 decibels is 'just noticeable to the human ear' according to the Civil Aviation Authority (see **Appendix 1**). So any new generation plane overflying densely populated SE London will make the same noise impact on the ground as an older generation plane. There is no benefit to these overflowed areas from the airport's promise that only new generation planes will fly in any extended operating hours.

If the airport is permitted to change its operating hours to include Saturday afternoons and evenings, the overflow of SE London will be condemned to a new weekend intrusion and an ever increasing frequency of noise and disturbance incidents. The airport plans to expand from the current level (autumn 2022) of around 50,000 movements per year (source, LCA) to 110,000. Doubling plane numbers means doubling the frequency and level of disturbance, whether London City Airport's airlines fly new or old generation aircraft.

It is very questionable whether the new generation Airbus A220-100 can be viewed as 'quieter' at all. All observers noted an intermittent but loud 'whale noise' from this aircraft, and this will be reflected in its average dBmax levels. Looking for why this might be, it is easy to discover pilot groups and citizen groups, in Switzerland for example, who ever since its introduction have noted the strange and loud noises from this plane as observed from the ground.

The airport is currently planning introduction of an even bigger Embraer plane, the E195-E2 to fly this arrivals route. Given the alarming noise measurements shown here and the apparently exaggerated claims the airport has made about noise from new generation aircraft, we should be very concerned about this new threat. The airport should provide policymakers and all overflowed communities with significant new measured data and impact assessments to justify their claims about quieter planes.

London City Airport makes frequent claims in its consultation documents that new generation planes are cleaner and quieter. It says that they will be "*sharing the benefit of quieter aircraft with the local community.*" Additionally, that "*the benefit of quieter aircraft will be felt by local residents throughout the week*". This study indicates that these claims are misleading if read at face value. It shows that there is no noise benefit to be shared under the two arrivals flight paths over densely populated parts of London.

In their consultation documents is a carefully worded explanation. What they actually mean is that new generation aircraft give a "*reduced departure noise footprint*"- that is in a small departure area at either end of the runway. This study demonstrates that even if they do have a smaller departure noise footprint, new generation aircraft are not noticeably quieter than old in other stages of flight, such as under the two narrow arrivals flight paths low over densely populated parts of Greenwich, Lewisham, Southwark, Lambeth and Bexley.

We should also note the cumulative noise impacts of the crossing of LCA flight paths with Heathrow; most of the above communities under London City Airport's arrivals or departure flight paths are also overflowed by Heathrow, sometimes simultaneously at different heights.

Our citizen research study concludes that there is no noticeable reduction in noise for the overflowed communities of SE London from new generation planes. London City Airport should therefore withhold any expansive plans or change in operating hours until the situation for the overflow is improved by the introduction of new flight paths. New flight path priorities should include the introduction of Continuous Descent Approaches (see **Appendix 1**) and alternative flight paths so that overflowed communities receive genuine noise reduction, planned quiet times and noise respite.


Tim Walker, John Doherty
for HACAN East
August 2022, with additional material Feb 2023

Appendix 1. Continuous Descent Approaches, aka Continuous Descent Operations (CDO)

London City arrivals in east winds use a Conventional Approach to reach Sidcup, about 20 miles from landing, at around 2300 feet. Flying level or in small steps over all of SE London requires additional thrust, creating more noise, as illustrated by the Civil Aviation Authority below.

Basic Principles of the Continuous Descent Approach (CDA) for the Non-Aviation Community

What is CDA?



The conventional approach

With the conventional aircraft approach, an aircraft would be given clearance by Air Traffic Control from the bottom level of the holding stack (normally an altitude of 6000 or 7000 feet) to descend to an altitude of typically 3000 feet. The aircraft would then fly level for several miles before intersecting the final 3 degree glidepath to the runway. During this period of level flight, the pilot would need to apply additional engine power to maintain constant speed.

The Continuous Descent Approach (CDA)

In contrast to a conventional approach, when a CDA procedure is flown the aircraft stays higher for longer, descending continuously from the level of the bottom of the stack (or higher if possible) and avoiding any level segments of flight prior to intercepting the 3 degree glidepath. A continuous descent requires significantly less engine thrust than prolonged level flight.

A change of 3 decibels is 'just noticeable to the human ear' according to the CAA. Yet new generation planes are not measured at even 3 decibels quieter over Lewisham. But flight paths using a Continuous Descent Approach could give up to 5 decibels of noise benefit.

What are the benefits of CDA?

→ Higher for longer

Because the aircraft flying a CDA is higher above the ground for a longer period of time, the noise impact on the ground is reduced in certain areas under the approach path.

→ Less engine thrust

Noise on the ground is reduced further because a CDA eliminates the period of level flight when additional engine thrust would have been used.

→ Noise reductions up to 5 decibels

Depending on the location and aircraft type, the noise benefit from a CDA compared to a conventional approach could be up to about 5 decibels (*a change of 3 decibels is just noticeable to the human ear*).

→ Fuel savings and reduced emissions

There can be significant fuel savings (for the final arrival phase of flight) with a CDA because less engine power is required - this also means that aircraft emissions will be reduced.

What are the limitations of CDA?

→ Aircraft can still be heard

When an aircraft flies a CDA, it does not mean that its noise levels will be so low that it cannot be heard. A CDA simply provides a noise benefit compared to the conventional approach procedure, in certain regions under the approach path.

→ Noise benefits only in certain locations

The noise benefits that a CDA offers are restricted to locations typically around 10 to 25 miles from the runway. There is no difference between a CDA and a conventional approach once the aircraft using the latter joins the final 3 degree glidepath.

→ Little effect on airport noise contours

Because the benefits of CDA are only experienced relatively far away from the airport, consistent use of the CDA procedure will not usually have a significant effect on the size and shape of standard airport noise contours.

→ Cannot always be flown

It may sometimes not be possible to fly a CDA due to airspace constraints or overriding safety requirements. Also, when flying a CDA an aircraft may still require a short segment of level flight in order to reduce speed or to reconfigure.

Appendix 2. Methodology

A new generation aircraft is defined by London City Airport as an Embraer 290 or an Airbus A220-100. There are a very small number of these aircraft using the airport regularly, flying from Geneva and Zurich. An equivalent old generation aircraft used at the airport very frequently is the Embraer 190.

We asked volunteers at five separate locations along or just off the flight path to take sets of decibel max (dBmax) readings including new generation and old generation planes. The locations were along a five mile section of the flight path, including Mottingham (SE9) 29km from landing to Catford (SE6) 26km from landing and the gardens of the Horniman Museum (SE23) in the west, 22km from landing. Monitoring sites were mostly directly under the path, with one offset to the side by a kilometre.

To make the measurements we used a noise measurement app, Explane, devised and calibrated for this purpose in the Netherlands. Over July and August 2022, we compiled 265 individual measurements. Batches of readings were taken by each observer over short periods with similar wind and weather conditions. A variety of readings were taken including at different times of day and across variable wind and weather conditions. Plane types were checked against LCA's tracking system, and the recorded dBmax for different plane types recorded for each day and location when measurements were made.

Once we had sufficient observations of each plane type, we took average dBmax levels for each to assess each aircraft type against the others.

Appendix 3. Noise measurements by London City Airport

The airport carries out almost no measurement of aircraft noise away from its immediate runway area. We have seen just two South London studies, one between Dulwich and Forest Hill in Dec 2018, and one in Mottingham SE9 3LU in December 2019.

Neither study identified measurement of any 'new generation aircraft'. They did however identify many of the current generation Embraer E190 overflights.

The results from Bickerdyke Allen, and published by the airport for the Dulwich study are below. Aircraft are at only 2000ft above MSL, 21.3km/13.2 miles from landing.

During the measurement period there were 110 arrivals at LCA using runway 09. Of these, 104 (95%) were correlated with a noise event. This is considered to be sufficient to give broadly representative noise levels for the most common aircraft operations. The correlated aircraft noise events are summarised in Table 1.

Aircraft	No. Correlated	Average L _{ASmax} (dB)
De Havilland Dash 8-400	15	64
Embraer E170	16	68
Embraer E190	59	69
Others	14	66
Total	104	68

Table 1: Summary of Noise Results – LCA Aircraft

The results published by the airport for the Mottingham study, at a site next door to our Citizen Research study measurement point are shown below. Aircraft here were at 2000-2500 ft and still 29.2km/18.1 miles from landing.

Aircraft Type	No. Correlated	Average [†] L _{ASmax} (dB)
Airbus A220	39	68
Avro RJ85	33	66
De Havilland Dash 8 Q400	118	66
Embraer E170	76	67
Embraer E190	482	68
Other ^{††}	92	66
Total	840	67

[†] Arithmetic average.

^{††} Aircraft types with less than 25 correlated movements have been categorised as 'Other'.

Table 1: Summary of correlated noise measurements, LCA aircraft Runway 09 arrivals.

These aircraft are by no stretch of the imagination quiet. We should note that a 68-69 decibel aircraft event represents a significant disturbance of the peace to the homes and gardens of those overflown. London City may fly as many as 22 aircraft over these homes in a one hour period. In both these studies, the authors noted that the overflown sites were also overflown by Heathrow planes during their measurement period.

The 'new generation' E195-E2.

London City wants to fly the large Embraer E195-E2 low over London along these same narrow, low flight paths. It is 5m longer and with 5m bigger wingspan than its

predecessor E190 models. It is also noisier, as shown by this table in the Airport’s Planning Application documents of Feb 2023.

5.1 below compares new generation aircraft noise levels to the Embraer E190 which is the most common type of aircraft currently flying at the airport. Based on noise certification data it shows how the more modern versions can be 3.2 dB quieter on arrival and 5.4 dB on departure.

Table 5.1 New Generation Noise Levels Compared to current Embraer E190

Aircraft Type	Change in Noise Level (SEL) compared to Embraer E190, dB (A)	
	Arrival	Departure
Airbus A220-100	-2.8	-5.1
Airbus A220-300	-2.0	-4.0
Embraer E190-E2	-3.2	-5.4
Embraer E195-E2	-2.9	-4.6

Arrivals over London communities represent 50% of LCY movements. The table above, taken from the Airport’s planning application, shows that on Arrivals, even the Airport only claims up to 3dB difference close to the Airport for these larger ‘new generation’ aircraft. According to the Civil Aviation Authority this small difference would not be noticeable to the human ear. Effectively, when the Airport doubles the number of any aircraft type it also doubles the noise intrusion of its arriving aircraft over Londoners, often many miles from the airport.

Appendix 4. Response from London City Airport

We presented our findings to the Airport’s Consultative Committee in autumn 2022, and followed this up by a meeting with the airport and their noise consultants, Bickerdyke Allen in October 2022.

1. We asked for the evidence that the airport relied upon in rejecting the findings of the Citizen Research Study presented at the Consultative Committee?

The airport/consultants advised that the airport has no measured noise data that can be used to compare new and old gen aircraft in our area. It has three ad hoc studies, in Mottingham, East Dulwich and Lambeth, but there are insufficient new generation aircraft included to draw any conclusions.

They advised that the airport relies upon noise data supplied by the manufacturer, in the case of Embraer in carefully controlled desert conditions in Brazil. This data is useful for takeoff and landing noise, but does not provide anything that can be relied upon when we are looking at aircraft in level flight over SE London. It is also used to provide ICAO Certification at noise restricted airports, to ensure aircraft comply with local noise limits close to the airport, and is nearly all about takeoffs.

The data that the airport does have is supplied by the 3 monitors at either end of the runway, which show that at 1000 ft, arriving aircraft consistently show a 2-3 dBmax reduction for the new gen E190-E2 over the old E190. We noted that according to

the Civil Aviation Authority this difference would not be noticeable to the human ear. We also agreed that this data could not indicate that over SE London any larger difference could be claimed. So we seemed to agree that **at very best** a 2-3 dB difference might be experienced at 2000ft above Mean Sea Level over SE London – which is what our Study had found.

Conclusion – We agree that new generation aircraft over SE London are not noticeably quieter on current concentrated arrivals path low over SE London than old generation aircraft.