



Notes

THIS DRAWING READ INCONJUNCTION WITH :

All areas are a subject to tolerance of +/- 10m.

Key

- Site Boundary
- Developable Plot
- Plot where no change proposed
- Highway Land
- Minimum 6m Wide Swale
- 2.5m Wide Swale
- Infiltration / Detention Basin (See Note 1)
- Wetpond
- NAR Infiltration Basin
- NAR Wetpond
- Infiltration Trench
- Culvert
- Outfall
- Watercourse

NOTES:
1. SUDS features near to the main drainage valleys will mainly be lined detention basins rather than infiltration basins due to the observed limited or zero ground infiltration rates and high ground water table.

P18	Comments Incorporated	12.08.2021	OH	MDLN
P17	Design Development	11.08.2021	OH	MDLN
P16	Comments Added	11.08.2021	SW	MDLN
P15	SuDS Coordination	11.08.2021	SW	MDLN
P14	Planning Refinement	04.08.2021	SW	MDLN
P13	Design Freeze for Planning	23.10.2020	MDLN	MDLN
P12	Design Freeze for Planning	17.09.2020	OH	MDLN
P11	For Coordination	14.08.2020	SW	MDLN
P10	Design Development	20.08.2020	SW	MDLN
P09	Culvert and P18 Updated	28.04.2020	OH	MDLN
P08	Design Freeze for Planning	27.04.2020	OH	MDLN
P07	Design Freeze Draft	17.04.2020	OH	MDLN
P06	For Coordination	05.04.2020	OH	MDLN
P05	Information Updated	20.02.2020	OH	BS
P04	For Coordination	16.01.2020	SW	MDLN
P03	For Comment	15.12.2019	OH	MDLN
P02	For Comment	17.12.2019	OH	MDLN
P01	Final Issue	08.12.2019	OH	MDLN
Rev	Description	Date	Dr by	App by
original				
OH		05.12.2019		MDLN

AHR
AHR Architects Ltd
Vinity Building
Wine Street
Bristol
United Kingdom

T +44(0)117 9289146
E info@ahr.co.uk
www.ahr.co.uk

client

Cornwall Council
Arcadis

project

Langarth Garden Village
Truro

drawing

Proposed
SuDS Strategy

2019.00106.000

scale

1:5000

drawing number

LAN_02.1-AHR-MP-ZZ-DR-A-93-008

rev

P18

issue status

D5

This drawing is to be read in conjunction with all related drawings. All dimensions must be checked and verified on site before commencing any work or producing any drawings. The engineer should be notified immediately of any discrepancy. This drawing is copyright and remains the property of AHR.