

© Crown Copyright [and database rights Oxfordshire County Council] [2022] OS [0100023343]. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

KEY

(F) Supply and install new DW Windsor Kirium Pro Mini luminaire side entry mounted on new 5m Abacus Raise and Lowering spring operated lighting column (to OCC specification, see HSD 1300-007). Terminate cables in new isolator in base of column and transfer all attachments from adjacent removed lighting columns if applicable.
MOUNTING: Post top mounted
LED OUTPUT: CLO, 550mA, 26W, 3.56klm
OPTIC: 16LED 3k A2
DIMMING: 100%, 75% 00:00 to 06:00
SWITCHING: 7-pin NEMA socket with Westire 7200 series 35/18 Photocell

00 / DNO-R — Proposed Column/Sign Identifier
Proposed Electrical Supply Type

SUPPLY TYPE
DNO: Distributor Network Operator
PCN: Private Connection Network

DNO-[N] / [D] / [T] / [R]: DNO new service / disconnection / transfer / remain.
PCN-[N] / [D] / [T] / [R]: PCN new service / disconnection / transfer / remain.

© Crown copyright and database rights 2019 Ordnance Survey 100030649 (2021)

IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROPRIATE METHOD STATEMENT.

THIS DRAWING IS TO BE USED ONLY FOR THE PURPOSE OF ISSUE THAT IT WAS ISSUED FOR.

NOTES:

1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
2. THE INFORMATION ON THIS PLAN IS GIVEN WITHOUT OBLIGATION OR WARRANTY. NO LIABILITY OF ANY KIND WHATSOEVER IS ACCEPTED BY AECOM FOR ANY ERRORS OR OMISSIONS.
3. DRAWING IS BASED ON ORDNANCE SURVEY MAPPING AND TOPOGRAPHICAL SURVEY SUPPLIED BY PLOWMAN CRAVEN (DATED MAY 2020).
4. ITEMS IN GREY (APART FROM SOLID HATCHING) REPRESENT EXISTING INFRASTRUCTURE AND ARE TO REMAIN UNLESS STATED OTHERWISE.
5. NEW FOOTWAY AND CARRIAGEWAY INSPECTION CHAMBER COVERS LINKED TO STATUTORY UNDERTAKERS APPARATUS ARE NOT SHOWN ON THIS DRAWING REVISION.
6. CURRENT TOPOGRAPHICAL SURVEY DOES NOT COVER THE EXTENTS OF THE PROPOSED APPLEFORD SHUTTLE ARRANGEMENT. THIS SECTION IS BASED ON THE ORDNANCE SURVEY MAPPING AND AERIAL PHOTOGRAPHY.
7. EXISTING LIGHTING EQUIPMENT HAS BEEN SHOWN ON THIS DRAWING WITHIN THE SCHEME EXTENTS ONLY.



REVISION DETAILS	By / Check	Date	Suffix
FIRST ISSUE	AC / JL	19/08/21	P01
SECOND ISSUE	AZ / AGB	16/06/22	P02

Purpose of issue
SUITABLE FOR INFORMATION

Client
OXFORDSHIRE COUNTY COUNCIL

Project Title
DIDCOT GARDEN TOWN HOUSING INFRASTRUCTURE FUND (HIF 1)

Drawing Title
RIVER CROSSING SCHEME WIDE LIGHTING LAYOUT SHEET 10 OF 19

Designed	Drawn	Checked	Approved	Date
AZ	AZ	KC	AGB	27/06/23

Internal Project No.	Suitability
60632497	S2
Scale @ A1	**Discipline**
1:1000	Town & Country Planner

THIS DOCUMENT HAS BEEN PREPARED PURSUANT TO AND SUBJECT TO THE TERMS OF AECOM'S APPOINTMENT BY ITS CLIENT. AECOM ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING AECOM'S EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.

AECOM
63-77 Victoria Street
St Albans
Herts
AL1 3ER
Tel: +44 (0) 172 7535 000
www.aecom.com

AECOM Infrastructure & Environment UK Limited
Registered in England Registered number: 880328
Registered office: Midpoint, Alencon Link, Basingstoke, Hampshire RG21 7PP

Drawing Number
Work Package ID — Volume — Type — Number
GEN_PD-ACM-HLG-DGT_LTG_ZZ_ZZ-DR-T-1310
Originator — Location — Role
Rev P03

Plot Date: 16 June 2022 16:48:11
File Name: C:\PWWORK\DOC\AECOM_DS\02_UK-CLT\ARANTXA.ZUDAIRE\VILLANUEVA@AECOM.COM\00130942\GEN_PD-ACM-HLG-DGT_LTG_ZZ_ZZ-DR-T-1310