


IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROPRIATE METHOD STATEMENT.

THIS DRAWING IS TO BE USED ONLY FOR THE PURPOSE OF ISSUE THAT IT WAS ISSUED FOR.

- NOTES:
1. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
  2. THE INFORMATION ON THIS PLAN IS GIVEN WITHOUT OBLIGATION OR WARRANTY. NO LIABILITY OF ANY KIND WHATSOEVER IS ACCEPTED BY AECOM FOR ANY ERRORS OR OMISSIONS.
  3. DRAWING IS BASED ON ORDNANCE SURVEY MAPPING AND TOPOGRAPHICAL SURVEY SUPPLIED BY PLOWMAN CRAVEN (DATED MAY 2020).
  4. ITEMS IN GREY (APART FROM SOLID HATCHING) REPRESENT EXISTING INFRASTRUCTURE AND ARE TO REMAIN UNLESS STATED OTHERWISE.
  5. NEW FOOTWAY AND CARRIAGEWAY INSPECTION CHAMBER COVERS LINKED TO STATUTORY UNDERTAKERS APPARATUS ARE NOT SHOWN ON THIS DRAWING REVISION.
  6. CURRENT TOPOGRAPHICAL SURVEY DOES NOT COVER THE EXTENTS OF THE PROPOSED APPLEFORD SHUTTLE ARRANGEMENT. THIS SECTION IS BASED ON THE ORDNANCE SURVEY MAPPING AND AERIAL PHOTOGRAPHY.
  7. EXISTING LIGHTING EQUIPMENT HAS BEEN SHOWN ON THIS DRAWING WITHIN THE SCHEME EXTENTS ONLY.



REVISION DETAILS			
By	Check	Date	Suffix
AC	JL	19/08/21	P01
AZ	AGB	16/06/22	P02

Purpose of issue  
**SUITABLE FOR INFORMATION**

Client  
**OXFORDSHIRE COUNTY COUNCIL**

Project Title  
**DIDCOT GARDEN TOWN HOUSING INFRASTRUCTURE FUND (HIF 1)**

Drawing Title  
**CLIFTON HAMPDEN BYPASS SCHEME WIDE LIGHTING LAYOUT SHEET 19 OF 19**

Designed AZ	Drawn AZ	Checked KC	Approved AGB	Date 27/06/23
----------------	-------------	---------------	-----------------	------------------

Internal Project No.  
60632497

Suitability  
S2

Scale @ A1  
1:1000


Discipline  
Town & Country Planner

THIS DOCUMENT HAS BEEN PREPARED PURSUANT TO AND SUBJECT TO THE TERMS OF AECOM'S APPOINTMENT BY ITS CLIENT. AECOM ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING AECOM'S EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.

AECOM  
63-77 Victoria Street  
St Albans  
Herts  
AL1 3ER  
Tel: +44 (0) 172 7535 000  
www.aecom.com

**AECOM**  
AECOM Infrastructure & Environment UK Limited  
Registered in England Registered number: 880328  
Registered office: Midpoint, Alencon Link,  
Basingstoke, Hampshire RG21 7PP

Drawing Number	Work Package ID	Volume	Type	Number	Rev
GEN_PD-ACM-HLG-DGT_LTG_ZZ-DR-T-1319					P03



© Crown Copyright [and database rights Oxfordshire County Council] [2022] OS [0100023343]. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.

**KEY**

Supply and install new DW Windsor Kirium Pro Mini luminaire post top mounted on new 5m Abacus Raise & Lowering spring counterbalance column (to OCC specification, see HSD 1300-007). Transfer all attachments from adjacent Removed lighting column (if applicable). Terminate cables in new isolator in base of column.


MOUNTING: Post Top Mounted  
LED OUTPUT: CLO, 850mA, 39W, 4.834km

OPTIC: 16LED 2700k A2  
DIMMING: 100%, 75% 00:00 to 06:00  
SWITCHING: 7-pin NEMA socket with Westire 7200 series 35/18 Photocell

00 Proposed Column/Sign Identifier  
DNO-R Proposed Electrical Supply Type

SUPPLY TYPE  
DNO: Distributor Network Operator  
PCN: Private Connection Network

DNO-[N] / [D] / [T] / [R]: DNO new service / disconnection / transfer / remain.  
PCN-[N] / [D] / [T] / [R]: PCN new service / disconnection / transfer / remain.



Plot Date: 21 Jun 2023 10:09:09  
 File Name: C:\WORKING\PROJECTS\GEN\_PD-ACM-HLG-DGT\_LTG\_ZZ-DR-T-1319