

© Crown Copyright [and database rights Oxfordshire County Council] [2022] OS [0100023343]. You are permitted to use this data solely to enable you to respond to, or interact with, the organisation that provided you with the data. You are not permitted to copy, sub-licence, distribute or sell any of this data to third parties in any form.


- KEY**
- CATCHMENT 6 - TO DRAIN TO PRIVATE DEVELOPER DRAINAGE - TOTAL AREA = 0.155Ha (NOT PART OF DSB SCHEME)
 - CATCHMENT 7 - TO DRAIN TO AECOM (AEC) DSB POND 1 - TOTAL AREA = 0.461Ha
 - CATCHMENT 8 - TO DRAIN TO AECOM (AEC) POND 2 - TOTAL AREA = 0.594Ha
 - CATCHMENT 9 - TO DRAIN INTO SOUTHERN DITCH - TOTAL AREA = 0.130Ha
 - CATCHMENT 10 - TO DRAIN TO EXISTING DITCH - TOTAL AREA = 0.124Ha
 - CATCHMENT 11 - TO DRAIN TO RIVER CROSSING SCHEME - TOTAL AREA = 0.071Ha
 - CATCHMENT 12 - TO DRAIN INTO SOUTHERN DITCH - TOTAL AREA = 0.077Ha
 - PROPOSED AECOM (AEC) SWALE
 - PROPOSED AECOM (AEC) POND
 - EXISTING DITCH (WATERCOURSE)
 - EXISTING CULVERT
 - PROPOSED CULVERT

IT IS ASSUMED THAT ALL WORKS ON THIS DRAWING WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROPRIATE METHOD STATEMENT.

THIS DRAWING IS TO BE USED ONLY FOR THE PURPOSE OF ISSUE THAT IT WAS ISSUED FOR.

NOTES

- ALL LEVELS SHOWN IN METRES ABOVE ORDNANCE DATUM (AOD) UNLESS OTHERWISE STATED.
- THE INFORMATION ON THIS PLAN IS GIVEN WITHOUT OBLIGATION OR WARRANTY. NO LIABILITY OF ANY KIND WHATSOEVER IS ACCEPTED BY AECOM FOR ANY ERRORS OR OMISSIONS.
- PROPOSED HIGHWAY LAYOUT TAKEN FROM DWG DSB_PD-ACM-HKF-SW_ZZ_ZZ-M2-CH-1101 P03.3 AND WID_PD-ACM-HKF-SW_ZZ_ZZ-M2-CH-1101 P02.5.
- PROPOSED BROOKBANKS POND OUTLINES TAKEN FROM 10218-HL-RM1-500-050 AND 10219-HL-RM1-500-051 AND HAS NOT BEEN RATIFIED AS PART OF THIS REVIEW.
- POND VOLUMES AND SHAPE BASED ON QBAR DISCHARGE RATE OF 3.75l/s/ha WITHOUT INFILTRATION
- POND 1 TO DISCHARGE TO POND 2 WHICH WILL DISCHARGE INTO SOUTHERN DITCH



First Issue	AG	17/09/21	P01
Second Issue	SG	14/06/22	P02
REVISION DETAILS			
	By	Date	Suffix
	Check		

Purpose of issue
SUITABLE FOR APPROVAL

Client
OXFORDSHIRE COUNTY COUNCIL

Project Title
DIDCOT GARDEN TOWN HOUSING INFRASTRUCTURE FUND (HIF 1)

Drawing Title
DRAINAGE CATCHMENT PLAN SHEET 6 OF 19

Designed AG	Drawn SG	Checked AA	Approved AGB	Date 27/06/23
Internal Project No. 60632497		Suitability S4		
Scale @ A1 1:1000		Discipline Town & Country Planner		

THIS DOCUMENT HAS BEEN PREPARED PURSUANT TO AND SUBJECT TO THE TERMS OF AECOM'S APPOINTMENT BY ITS CLIENT. AECOM ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING AECOM'S EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.

AECOM
AECOM House
Home Lane
Bedford
MK40 1TS
Tel: +44 (0)1234 329 641
www.aecom.com

AECOM
AECOM Infrastructure & Environment UK Limited
Registered in England Registered number: 880328
Registered office: Midpoint, Alencon Link,
Basingstoke, Hampshire RG21 7PP

Drawing Number GEN_PD-ACM-HDG-DGT_DRG_ZZ-DR-T-0025	Volume 1	Type Location	Number 1	Rev P03
Originator	Location	Role		

Rev/Date: 1/1/2023 8:07:05 AM
File Name: C:\WORKING\AECOM_DSG2_L\CL\TSHANN\HANT\@AECOM.COM\0119642\GEN_PD-ACM-HDG-DGT_DRG_ZZ-DR-T-0025