

TEMPORARY NOISE BARRIER TYPICAL PLAN LAYOUT



TEMPORARY NOISE WALL BARRIER TYPICAL ELEVATION (LOOKING NORTH)



TEMPORARY NOISE BARRIER TYPICAL SECTION (LOOKING WEST)  $^{1:100}_{\phantom{000}}$ 

.STRUCTU	STRUCTURAL FRAMING SCHEDULE				
TYPE MARK	TYPE				
SB2	UKPFC100x50x10				

STRUCTURAL COLUMN SCHEDULE.				
TYPE MARK	TYPE			
SC2	S355 UC254x254x107			

BASE PLATE SCHEDULE.				
TYPE MARK	TYPE			
TMR2	\$275 6503650350			

# DO NOT SCALE

# SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION

In addition to the hazards/risks normally associated with the types of work detailed on this drawing, note the following:

## CONSTRUCTION

FOR CONSTRUCTION, MAINTENANCE & DEMOLITION RISKS REFER TO THE STAGE 4 DESIGNERS RISK REGISTER: A400-01-U-REG-00001

### MAINTENANCE/CLEANING

REFER TO STAGE 4 ENGINEERING CLEANING, MAINTENANCE AND REPLACEMENT (CMR) DRAWINGS.

It is assumed that all works will be carried out by a competent contractor working, where appropriate, to an approved method statement

- THIS DRAWING IS FOR PLANNING PURPOSES ONLY.
  DIMENSIONS NOT TO BE SCALED FROM THIS DRAWING
- DRAWING NO. A400-ATK-S-01-XXX-XX-DR-XX-247-991.
- STEEL COLUMNS TO BE HOT DIPPED GALVANISED AND PAINTED GOOSE GREY OOA05 TO BS 4800.
- PLYWOOD BOARDS TO HAVE PHENOLIC FILM COATING.
- TEMPORARY NOISE BARRIER TO HAVE A SURFACE MASS OF AT LEAST 15 kg/m².



Woodcote Grove Ashley Road Epsom Surrey KT18 5BW Tel: +44 (0) 1372 726 144 Fax:

Copyright © Atkins Limited (2018) www.atkinsglobal.com

# Get closer.

CITY AIRPORT DEVELOPMENT PROGRAMME

TEMPORARY NOISE BARRIER PLAN AND ELEVATIONS

Scale 1:100	Designed CMB	Drawn RGV	Checked	Authorised K.I
Original Size	Date 04/09/2019	Date 04/09/2019	Date	Date 04/09/2019

A400-ATK-S-01-XXX-XX-DR-XX-247-992 -01- S2