Agreed list of planning conditions 14/12/2022

The following planning conditions are suggested in order to make the development acceptable in planning terms.

1. The development to which this permission relates must have commenced not later than the expiration of three years beginning from the date of this decision notice.

Reason: As required by Section 91 of the Town and Country Planning Act 1990 as amended.

2. The development hereby permitted shall be carried out in accordance with the approved plans listed in this notice, unless otherwise required by any other condition in this notice.

Existing site plan Existing site elevation – northeast Existing site elevations Existing site elevations Existing site section Proposed site plan Proposed block plan Proposed building – North west elevation Proposed building – North east elevation Proposed building – South east elevation Proposed building – South east site elevation Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical ensuite 03 Proposed layouts Typical ensuite 04 Proposed layouts Typical ensuite 05 Proposed layouts Typical ensuite 09 Proposed layouts Typi	Existing site location plan	21235-STCH-XX-ZZ-A-1001
Existing site elevation – northeast Existing site elevations 21235-STCH-XX-ZZ-A-1004 Existing site section 21235-STCH-XX-ZZ-A-1005 Proposed site plan 21235-STCH-XX-ZZ-DR-A-1050 Proposed block plan 21235-STCH-XX-ZZ-DR-A-1051 Proposed building – North west elevation 21235-STCH-XX-ZZ-DR-A-1051 Proposed building – North east elevation 21235-STCH-XX-ZZ-DR-A-1200 Rev B Proposed building – North east site elevation 21235-STCH-XX-ZZ-DR-A-1201 Rev B Proposed building – South east elevation 21235-STCH-XX-ZZ-DR-A-1204 Rev B Proposed building – South east elevation 21235-STCH-XX-ZZ-DR-A-1202 Proposed building – South east site elevation 21235-STCH-XX-ZZ-DR-A-1203 Proposed building – South east site elevation 21235-STCH-XX-ZZ-DR-A-1203 Proposed building - Section AA 21235-STCH-XX-ZZ-DR-A-1300 Proposed building - Section BB 21235-STCH-XX-ZZ-DR-A-1300 Proposed layouts Typical Ensuite 01 21235-STCH-XX-ZZ-DR-A-1400 Rev ARev Proposed layouts Typical Ensuite 02 21235-STCH-XX-ZZ-DR-A-1401 Rev Aev Proposed layouts Typical studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-MI-A-1700 Landscape GA		
Existing site elevations Existing site section 21235-STCH-XX-ZZ-A-1005 Proposed site plan 21235-STCH-XX-ZZ-DR-A-1050 Proposed block plan 21235-STCH-XX-ZZ-DR-A-1051 Proposed building — North west elevation 21235-STCH-XX-ZZ DR-A-1200 Rev B Proposed building — North east elevation 21235-STCH-XX-ZZ-DR-A-1201 Rev B Proposed building — North east site elevation 21235-STCH-XX-ZZ-DR-A-1204 Rev B Proposed building — South east elevation 21235-STCH-XX-ZZ-DR-A-1204 Rev B Proposed building — South west elevation 21235-STCH-XX-ZZ-DR-A-1202 Proposed building — South east site elevation 21235-STCH-XX-ZZ-DR-A-1203 Proposed building — South east site elevation 21235-STCH-XX-ZZ-DR-A-1205 Proposed building — Section AA 21235-STCH-XX-ZZ-DR-A-1300 Proposed layouts Typical Ensuite 01 21235-STCH-XX-ZZ-DR-A-1400 Rev ARev- Proposed layouts Typical Ensuite 02 21235-STCH-XX-ZZ-DR-A-1401 Rev Aev Proposed layouts Typical studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-DR-A-1504		
Existing site section Proposed site plan Proposed block plan Proposed building – North west elevation Proposed building – North east elevation Proposed building – North east elevation Proposed building – South east elevation Proposed building – South west elevation Proposed building – South west elevation Proposed building – South west elevation Proposed building – South east site elevation Proposed building – South west elevation Proposed building – South west elevation Proposed building – South east site elevation Proposed building – South west elevation Proposed building – Section AA Proposed building – Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical accessible studio Detail elevation study 01 Detail elevation study 02 Detail elevation study 03 Detail elevation study 04 Detail elevation study 05 Detail ele		
Proposed site plan Proposed block plan Proposed block plan Proposed block plan Proposed building – North west elevation Proposed building – North east elevation Proposed building – North east elevation Proposed building – North east site elevation Proposed building – North east site elevation Proposed building – South east elevation Proposed building – South east elevation Proposed building – South west elevation Proposed building – South east site elevation Proposed building – Section AA Proposed building - Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical accessible studio Proposed layouts Typical elevation study 01 Detail elevation study 02 Detail elevation study 03 Detail elevation study 04 Detail elevation study 04 Detail elevation study 05 D		
Proposed block plan Proposed building – North west elevation Proposed building – North east elevation Proposed building – North east elevation Proposed building – North east site elevation Proposed building – North east site elevation Proposed building – South east elevation Proposed building – South east elevation Proposed building – South east site elevation Proposed building – Section AA Proposed building – Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical accessible studio Proposed levation study 01 Detail elevation study 02 Detail elevation study 03 Detail elevation study 04 Detail elevation study 04 Detail elevation study 05 Detail elevation study 0		
Proposed building – North west elevation Proposed building – North east elevation Proposed building – North east elevation Proposed building – North east site elevation Proposed building – North east site elevation Proposed building – South east elevation Proposed building – South east elevation Proposed building – South west elevation Proposed building – South east site elevation Proposed building – South east site elevation Proposed building – South east site elevation Proposed building - Section AA Proposed building - Section BB Proposed building - Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical elevation study 01 Detail elevation study 02 Detail elevation study 03 Detail elevation study 04 Detail elevation study 04 Detail elevation study 05 Detail elevation study 06 Detail elevation study 07 Detail elevation study 08 Detail elevation study 09 Detail elevation study		
Proposed building — North east elevation Proposed building — North east site elevation Proposed building — South east elevation Proposed building — South east elevation Proposed building — South west elevation Proposed building — South west elevation Proposed building — South east site elevation Proposed building — Section AA Proposed building — Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 01 Proposed layouts Typi		
Proposed building – North east site elevation Proposed building – South east elevation Proposed building – South west elevation Proposed building – South west elevation Proposed building – South west elevation Proposed building – South east site elevation Proposed building – South east site elevation Proposed building – Section AA Proposed building - Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical accessible studio Detail elevation study 01 Detail elevation study 02 Detail elevation study 03 Detail elevation study 04 Detail elevation study 04 Detail elevation study 04 Detail elevation study 05		
Proposed building — South east elevation Proposed building — South west elevation Proposed building — South west elevation Proposed building — South east site elevation Proposed building — South east site elevation Proposed building — Section AA Proposed building — Section BB Proposed building — Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensu		
Proposed building – South west elevation 21235-STCH-XX-ZZ-DR-A-1203 Proposed building – South east site elevation 21235-STCH-XX-ZZ-DR-A-1205 Proposed building - Section AA 21235-STCH-XX-ZZ-DR-A-1300 Proposed building - Section BB 21235-STCH-XX-XZ-DR-A-1301 Proposed layouts Typical Ensuite 01 21235-STCH-XX-ZZ-DR-A-1400 Rev ARev Proposed layouts Typical Ensuite 02 21235-STCH-XX-ZZ-DR-A-1401 Rev Aev Proposed layouts Typical studio 21235-STCH-XX-ZZ-DR-A-1402 Proposed layouts Typical accessible studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A		
Proposed building – South east site elevation Proposed building - Section AA Proposed building - Section BB Proposed building - Section BB Proposed building - Section BB Proposed layouts Typical Ensuite 01 Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical Ensuite 02 Proposed layouts Typical Ensuite 01 Proposed layout		
Proposed building - Section AA 21235-STCH-XX-ZZ-DR-A-1300 Proposed building - Section BB 21235-STCH-XX-XX-DR-A-1301 Proposed layouts Typical Ensuite 01 21235-STCH-XX-ZZ-DR-A-1400 Rev ARev Proposed layouts Typical Ensuite 02 21235-STCH-XX-ZZ-DR-A-1401 Rev Aev Proposed layouts Typical studio 21235-STCH-XX-ZZ-DR-A-1402 Proposed layouts Typical accessible studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A		
Proposed building - Section BB 21235-STCH-XX-XX-DR-A-1301 Proposed layouts Typical Ensuite 01 21235-STCH-XX-ZZ-DR-A-1400 Rev ARev ARev Proposed layouts Typical Ensuite 02 21235-STCH-XX-ZZ-DR-A-1401 Rev Aev Proposed layouts Typical studio 21235-STCH-XX-ZZ-DR-A-1402 Proposed layouts Typical accessible studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A		
Proposed layouts Typical Ensuite 01 21235-STCH-XX-ZZ-DR-A-1400 Rev ARev ARev Proposed layouts Typical Ensuite 02 21235-STCH-XX-ZZ-DR-A-1401 Rev Aev Proposed layouts Typical studio Proposed layouts Typical accessible studio 21235-STCH-XX-ZZ-DR-A-1402 Proposed layouts Typical accessible studio Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Potail elevation study 02 Proposed levation study 03 Potail elevation study 03 Potail elevation study 04 Potail elevation study 04 Potail elevation study 05 Potail elevation study 04 Potail elevation study 04 Potail elevation study 05 Potail elevation e		
Proposed layouts Typical Ensuite 02 Proposed layouts Typical Studio Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical accessible studio Proposed layouts Typical Ensuite 02 Proposed layouts Typical Studio Proposed layouts Typical Ensuite 02 Proposed layouts Typical Studio Proposed layouts Typical Ensuite 02 Proposed layouts		
Proposed layouts Typical Ensuite 02 Proposed layouts Typical studio Proposed layouts Typical studio Proposed layouts Typical accessible studio Detail elevation study 01 Detail elevation study 02 Detail elevation study 03 Detail elevation study 04 Detail elevation study 04 Detail elevation study 04 Detail elevation study 05 Detail elevation study 04 Detail elevation study 04 Detail elevation study 04 Detail elevation study 05 Detail elevation study 06 Detail elevation study 07 Detail elevation study 08 Detail elevation study 09 Detai	Proposed layouts Typical Ensuite 01	
Proposed layouts Typical studio 21235-STCH-XX-ZZ-DR-A-1402 Proposed layouts Typical accessible studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A		
Proposed layouts Typical accessible studio 21235-STCH-XX-ZZ-DR-A-1403 Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A		
Detail elevation study 01 21235-STCH-XX-ZZ-DR-A-1500 Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A		21235-STCH-XX-ZZ-DR-A-1402
Detail elevation study 02 21235-STCH-XX-ZZ-DR-A-1501 Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A	Proposed layouts Typical accessible studio	21235-STCH-XX-ZZ-DR-A-1403
Detail elevation study 03 21235-STCH-XX-ZZ-DR-A-1502 Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A	Detail elevation study 01	21235-STCH-XX-ZZ-DR-A-1500
Detail elevation study 04 21235-STCH-XX-ZZ-DR-A-1503 Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A	Detail elevation study 02	21235-STCH-XX-ZZ-DR-A-1501
Detail elevation study 05 21235-STCH-XX-ZZ-DR-A-1504 3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A	Detail elevation study 03	21235-STCH-XX-ZZ-DR-A-1502
3D Massing Model 21235-STCH-XX-ZZ-M1-A-1700 Landscape GA TM-502-LA-101 Rev A	Detail elevation study 04	21235-STCH-XX-ZZ-DR-A-1503
Landscape GA TM-502-LA-101 Rev A	Detail elevation study 05	21235-STCH-XX-ZZ-DR-A-1504
Landscape GA TM-502-LA-101 Rev A	3D Massing Model	21235-STCH-XX-ZZ-M1-A-1700
		TM-502-LA-101 Rev A
Landscape Terrace TM-502-LA-102	Landscape Terrace	TM-502-LA-102

Proposed building – Basement 2 plan	21235-STCH-XX-B2-DR-A-1100 Rev D
Proposed building – Basement plan	21235-STCH-XX-B1-DR-A-1101 Rev B
Proposed building – Ground floor plan	21235-STCH-XX-00-DR-A-1102 Rev F
Proposed building – 1st floor plan	21235-STCH-XX-01-DR-A-1103
Proposed building – 2 nd floor plan	21235-STCH-XX-02-DR-A-1104 Rev B
Proposed building – 3 rd -6 th floor plan	21235-STCH-XX-ZZ-DR-A-1105 Rev BA
Proposed building – 7 th floor plan	21235-STCH-XX-07-DR-A-1106 Rev B
Proposed building – 8 th -13 th floor plan	21235-STCH-XX-ZZ-DR-A-1107 Rev B
Proposed building – 14th-15th floor plan	21235-STCH-XX-ZZ-DR-A-1108 Rev B
Proposed building – Roof plan	21235-STCH-XX-RF-DR-A-1109 Rev A

Reason: To ensure that the Development is undertaken in accordance with the approved drawings and documents to achieve compliance with Development Plan Policies (London Plan 2021 and Southwark Plan 2022), and National Planning Policy Framework 2021

- 3. No development shall take place, including any works of demolition, until a written CEMP has been submitted to and approved in writing by the Local Planning Authority. The CEMP shall oblige the applicant, developer and contractors to commit to current best practice with regard to construction site management and to use all best endeavours to minimise off- site impacts, and will include the following information:
 - A detailed specification of demolition and construction works at each phase of development including consideration of all environmental impacts and the identified remedial measures:
 - Site perimeter continuous automated noise, dust and vibration monitoring:
 - Engineering measures to eliminate or mitigate identified environmental impacts e.g., hoarding height and density, acoustic screening, sound insulation, dust control measures, emission reduction measures, location of specific activities on site, etc.;
 - Arrangements for a direct and responsive site management contact for nearby occupiers during demolition and/or construction (signage on hoardings, newsletters, residents' liaison meetings, etc.)
 - A commitment to adopt and implement of the ICE Demolition Protocol and Considerate Contractor Scheme; Site traffic
 Routing of inbound and outbound site traffic, one-way site traffic arrangements on site, location of lay off areas, etc.:
 - Site waste Management Accurate waste stream identification, separation, storage, registered waste carriers for transportation and disposal at appropriate destinations.

Commented [BZ1]: Tailpiece required to ensure compliance with any documents approved.

 A commitment that all NRMM equipment (37 kW and 560 kW) shall be registered on the NRMM register and meets the standard as stipulated by the Mayor of London.

All demolition and construction work shall be undertaken in strict accordance with the approved CEMP and other relevant codes of practice, unless otherwise agreed in writing by the Local Planning Authority.

Reason: To ensure that occupiers of neighbouring premises and the wider environment do not suffer a loss of amenity by reason of pollution and nuisance, in accordance with Southwark Plan Policies P50 (Highways impacts) and P56 (Protecting amenity). London Plan Policy T4 (Assessing and mitigating transport impacts), and the National Planning Policy Framework.

- 4. a.) No development shall take place until a remediation scheme has been submitted to and approved in writing by the Local Planning Authority. Following the completion of the works and measures identified in the approved remediation strategy, a verification report providing evidence that all works required by the remediation strategy have been completed, together with any future monitoring or maintenance requirements shall be submitted to and approved in writing by the Local Planning Authority.
 - b.) In the event that potential contamination is found at any time when carrying out the approved development that was not previously identified, it shall be reported in writing immediately to the Local Planning Authority, and a scheme of investigation and risk assessment, a remediation strategy and verification report (if required) shall be submitted to the Local Planning Authority for approval in writing.

Reason: To ensure that risks from land contamination to the future users of the land and neighbouring land are minimised, together with those to controlled waters, property and ecological systems, and to ensure that the development can be carried out safely without unacceptable risks to workers, neighbours and other off-site receptors in accordance with Southwark Plan Policy P64 (Contaminated land and hazardous substances) and the National Planning Policy Framework.

5. No works (excluding demolition and site clearance) shall commence until full details of the proposed surface water drainage system incorporating the Sustainable Drainage Systems (SuDS) have been submitted to and approved in writing by the Local Planning Authority, including detailed design, dimensions, depth and location of attenuation units and flow control devices. The specific SuDS type, arrangement and material should be given in line with the proposed strategy dependant on any necessary site investigations. The strategy should achieve a reduction in surface water runoff rates as detailed in the approved 'Flood Risk Assessment and Drainage Strategy' prepared by Ardent. The applicant must confirm that the site is safe in the event of blockage/failure of the system, including consideration of exceedance flows. The site drainage must be constructed and retained in accordance with te-the approved details.

Reason: To minimise the potential for the site to contribute to surface water flooding in accordance with Southwark's Strategic Flood Risk Assessment (2017), Policy SI 13 of the London Plan, and Policy P68 of the Southwark Plan.

6. **Before** any work hereby authorised begins, excluding demolition to ground slab level and site investigation works, the applicant shall secure the implementation of a programme of archaeological evaluation works in accordance with a written scheme of investigation which shall be submitted to and approved in writing by the Local Planning Authority.

In the event archaeology of national significance is found on the site, a scheme shall be submitted to the council for approval to ensure this will be preserved in-situ. The scheme shall be implemented during the construction period and within the completed development as approved.

Reason: In order that the applicants supply the necessary archaeological information to ensure suitable mitigation measures and/or foundation design proposals be presented in accordance with Policy P23 Archaeology of the Southwark Plan (2022) and the National Planning Policy Framework 2021.

7. Before any work hereby authorised begins (excluding demolition to ground slab level and archaeological evaluation), the applicant shall secure the implementation of a programme of archaeological mitigation works in accordance with a written scheme of investigation, which shall be submitted to and approved in writing by the Local Planning Authority.

Reason: In order that the details of the programme of works for the archaeological mitigation are suitable with regard to the impacts of the proposed development and the nature and extent of archaeological remains on site in accordance with Policy P23 Archaeology of the Southwark Plan (2022) and the National Planning Policy Framework 2021.

- 8. a) Prior to commencement of the development (excluding demolition and site investigation works) hereby permitted, the applicant shall submit to and receive the Local Planning Authority's approval of a Public Engagement Programme which shall set out:
 - 1) How the field work areas will be hoarded to provide opportunities for passers-by to safely view the excavations;
 - 2) Detailed drawings (artwork, design, text and materials, including their location and a full specification of the construction and materials) for the public interpretation and presentation display materials celebrating the historic setting of the site, which will be located on suitably visible public parts of the temporary site hoarding;
 - 3) Details of at least one event, such as a heritage trail, that will be held during the field work phase (as a minimum this should state the date/time, duration, individuals involved and advance promotional measures for the event, and provide an outline of the content of the event);

Commented [BZ2]: Conditions 7, 8 and 9 are dependent on Condition 6 and are considered necessary. Avonmouth House is on the alignment of Roman Stane Street where to the north of this site significant remains have been found on this alignment. There are also Roman burials in Newington Gardens.

- b) Prior to the commencement of the fieldwork phase, the hoarding shall be installed in full accordance with the LPA-approved details referred to in parts a.1 and a.2 of the condition, and the hoarding shall remain as such and in place throughout the fieldwork phase.
- c) During the fieldwork phase, the event (referred to in part a.3) shall be carried out.
- d) Before first occupation of any part of the development, detailed drawings (artwork, design, text and materials, including their location and a full specification of the construction and materials) for the public interpretation and presentation display materials celebrating the historic setting of the site, in some form of permanent display case or signage to be installed within a publicly-accessible part of the development hereby approved. The approved display case or signage shall be installed in accordance with the approval and shall not be replaced other than with a display case or signage of similar specification and bearing the same information.

Reason: To promote the unique setting of the application site and provide information on the special archaeological and historical interest of this part of Southwark, in accordance with Policy P23 Archaeology of the Southwark Plan (2022) and the National Planning Policy Framework 2022.

9. Within one year of the completion of the archaeological work on site, an assessment report detailing the proposals for the off-site analyses and post-excavation works, including publication of the site and preparation for deposition of the archive, shall be submitted to and approved in writing by the Local Planning Authority, and the works detailed in the assessment report shall not be carried out otherwise than in accordance with any such approval given. The assessment report shall provide evidence of the applicant's commitment to finance and resource these works to their completion.

Reason: In order that the archaeological interest of the site is secured with regard to the details of the post-excavation works, publication and archiving to ensure the preservation of archaeological remains by record in accordance with Policy P23 (Archaeology) of the Southwark Plan, Policy HC1 (Heritage conservation and growth) of the London Plan, and the National Planning Policy Framework.

10. Prior to the commencement of development, details of access for fire appliances as required by Approved Document B of the Building Regulations and details of adequate water supplies for fire fighting purposes shall be shall be submitted to and approved in writing by the Local Planning Authority. The development approved shall be completed in accordance with any details approved which shall be retained thereafter.

Reason: To minimise the risk to life and minimise building damage in the event of a fire, in accordance with the National Planning Policy Framework and Policy D12 (Fire safety) of the London Plan.

Commented [BZ3]: Agreed and updated.

- 11. Prior to works commencing, including any demolition and no later than RIBA Stage 4, a Planning Stage Circular Economy Statement (CES) shall be submitted to and approved in writing by the Local Planning Authority. The CES shall include
 - a Bill of Materials including kg/m2 and recycled content (target for a minimum 20%) for the development:
 - a Recycling and Waste Reporting table, evidencing that the proposal would reuse/recycle/recover 95% of construction and demolition waste, and put 95% of excavation waste to beneficial use:
 - a Pre-demolition/Refurbishment Audit:
 - a Letter of Commitment, pledging to submit a Post-Completion Report within 3 months of completion of the development:
 - a Building End-of-Life Strategy:
 - a Final Destination Facilities List: and
 - evidence of any destination landfill sites' capacity to receive waste.

The development shall be implemented in accordance with the CES. Unless otherwise agreed by the Council, to comply with the Circular Economy Statement for the full life cycle of the Development.

Reason: To ensure that the proposal responds appropriately to climate change policies by reducing carbon emissions and minimising waste streams in accordance with London Plan Policies SI7 (Reducing waste and supporting the circular economy) and SI2 (Minimising greenhouse gas emissions), and Southwark Plan Policies P69 (Sustainability standards) and P70 (Energy).

- 12. No later than three months following substantial completion of the final student accommodation unit within the development hereby consented, a Post Completion Circular Economy Report setting out the predicted and actual performance against all numerical targets in the relevant Planning Stage Circular Economy Statement shall be submitted to and approved in writing by the Local Planning Authority.
 - Reason: To ensure that Planning Stage Circular Economy Statement has been implemented in the construction and delivery of the development, and that all on-going operational measures and mechanisms have been satisfactorily implemented, in order to achieve Circular Economy goals and in accordance with: the National Planning Policy Framework and Policies GG6 (Increasing Efficiency and Resilience) and SI7 (Reducing Waste and Supporting the Circular Economy) of the London Plan.
- 13. Prior to commencement of any works (with the exception of demolition to ground level and archaeology), detailed plans shall be submitted to and approved in writing by the Local Planning Authority demonstrating the provision of sufficient ducting space for full fibre connectivity infrastructure within the development. The development shall be carried out in accordance with the approved plans and maintained as such in perpetuity.

Reason: To provide high quality digital connectivity infrastructure to contribute to London's global competitiveness in accordance with Policy SI6 of the London Plan.

Commented [BZ4]: Tailpiece required to ensure compliance with any documents approved.

14. Prior to the commencement of any above grade works (excluding demolition), details of bird and bat boxes shall be submitted to and approved in writing by the Local Planning Authority. The bird and bat boxes shall be installed with the development prior to the first occupation of the building of which they form a part or the first use of the space in which they are contained. The bird and bat boxes shall be installed strictly in accordance with the details so approved and shall be maintained as such thereafter.

Reason: To ensure the development provides the maximum possible provision towards creation of habitats and valuable areas for biodiversity in accordance with Southwark Plan Policy P60 (Biodiversity).

- 15. Prior to commencement of any works above grade (excluding demolition), detailed drawings at a scale of 1:5 or 1:10 through:
 - i) all facade variations: and
 - ii) commercial fronts and residential entrances; and
 - iii) all parapets and roof edges; and
 - iv) all balcony details; and
 - v) heads, cills and jambs of all openings

to be used in the carrying out of this permission shall be submitted to and approved by the Local Planning Authority in writing. The development shall not be carried out otherwise than in accordance with any such approval given.

Reason: In order that the Local Planning Authority may be satisfied as to the quality of architectural design and details in accordance with Chapter 12 - Achieving well designed places of the NPPF, Policies D4 (Delivering good design) and D9 (Tall buildings) of the London Plan, and Policies P13 (Design of places), P14 (Design quality), and P17 (Tall buildings) of the Southwark Plan.

- 16. Prior to the commencement of any above grade works (excluding demolition), samples of all external facing materials and full-scale (1:1) mock-ups of the facades to be used in the carrying out of this permission shall be presented on site to the Local Planning Authority and approved in writing. The development shall not be carried out otherwise than in accordance with any such approval given. The facades to be mocked up should be agreed with the Local Planning Authority.
 - Reason: In order that the Local Planning Authority may be satisfied as to the quality of architectural design and details in accordance with Chapter 12 Achieving well designed places of the NPPF, Policies D4 (Delivering good design) and D9 (Tall buildings) of the London Plan, and Policies P13 (Design of places), P14 (Design quality), and P17 (Tall buildings) of the Southwark Plan.
- 17. Prior to the commencement of any above grade works (excluding demolition), details of security measures shall be submitted and approved in writing by the Local Planning Authority and any such security measures shall be implemented prior to occupation in accordance with the approved details which shall achieve the `Secured by Design' accreditation award from the Metropolitan Police.

Reason: In the interests of securing well designed, safe and secure buildings and neighbourhoods in accordance with Southwark Plan Policy P16 (Designing out crime).

- 18. Prior to the commencement of any above grade works (excluding demolition):
 - a) details and 1:50 scale drawings of the secure cycle parking facilities to Southwark Plan 2022 standards shall be submitted to and approved in writing by the Local Planning Authority ____ This shall include 302 spaces, including 30 Sheffield racks providing for 60 spaces, including 3 disabled and 3 cargo bicycle spaces.
 - b) Details relating to the servicing layout and its relationship with the public highway shall be submitted to be approved in writing by the Local Planning Authority. The cycle parking facilities shall be provided prior to the occupation of the development and thereafter shall be retained and the space used for no other purpose and the development shall not be carried out otherwise than in accordance with any such approval given.

Reason: In order to ensure that satisfactory safe and secure cycle parking and changing facilities are provided and can be easily accessed by users in order to encourage the use of cycling as an alternative means of transport to the development and to reduce reliance on the use of the private car in accordance with London Plan Policy T5 (Cycling) and Southwark Plan Policy P53 (Cycling).

- 18.19. Prior to the commencement of any above grade works (excluding demolition), details of the biodiversity green roof shall be submitted to and approved in writing by the Local Planning Authority. The biodiversity (green) roof(s) shall be:
 - biodiversity based with extensive substrate base (depth 80-150mm):
 - laid out in accordance with agreed plans; and
 - planted/seeded with an agreed mix of species within the first planting season following the practical completion
 of the building works (focused on wildflower planting, and no more than a maximum of 25% sedum coverage).

The biodiversity green roof shall not be used as an amenity or sitting out space of any kind whatsoever and shall only be used in the case of essential maintenance or repair or escape in case of emergency. The biodiversity roof shall be carried out strictly in accordance with the details so approved and shall be maintained as such thereafter. Discharge of this condition will be granted on receiving the details of the green roof and Southwark Council agreeing the submitted plans. A post completion assessment will be required to confirm the roof has been constructed to the agreed specification.

Reason: To ensure the development provides the maximum possible provision towards creation of habitats and valuable areas for biodiversity in accordance with Policies SI 4 (Managing heat risk), SI 13 (Sustainable drainage), G1 (Green Infrastructure), and G5 (Urban Greening) of the London Plan and Policies P59 (Green infrastructure) and P60 (Biodiversity) of the Southwark Plan.

Commented [BZ5]: Only green roofs are proposed, this condition has been updated.

19.20. Prior to the commencement of any above grade works (excluding demolition), the applicant shall submit written confirmation from the appointed building control body that the specifications for each student bedspace identified in the detailed construction plans meet the standard of the Approved Document M of the Building Regulations (2015). The development shall be carried out in accordance with the details thereby approved by the appointed building control body.

M4 (Category 3) 'wheelchair user dwellings':- at least 5%

M4 (Category 2) 'accessible and adaptable':- remaining units

Reason: In order to ensure the development complies with Policy P5 (Student homes) of the Southwark Plan and Policy D7 (Accessible Housing) of the London Plan.

20.21. Prior to the commencement of any above grade works (excluding demolition), full particulars of the sprinkler system to be used within the building shall be submitted to and approved in writing by the Local Planning Authority. The development shall not be carried out otherwise than in accordance with any approval given.

Reason: To ensure that there is an adequate level of fire safety within this mixed use development in accordance with Policy D12 (Fire Safety) of the London Plan.

21.22. Prior to the commencement of any landscaping works, detailed drawings of a hard and soft landscaping scheme showing the treatment of all parts of the site not covered by buildings (including cross sections, surfacing materials of any access, terraces, or pathways layouts, materials and edge details), shall be submitted to and approved in writing by the Local Planning Authority. The landscaping shall not be carried out otherwise than in accordance with any such approval given and shall be retained for the duration of the use. The planting, seeding and/or turfing shall be carried out in the first planting season following completion of building works and any trees or shrubs that is found to be dead, dying, severely damaged or diseased within five years of the completion of the building works OR five years of the carrying out of the landscaping scheme (whichever is later), shall be replaced in the next planting season by specimens of the same size and species in the first suitable planting season. Planting shall comply to BS: 4428 Code of practice for general landscaping operations, BS: 5837 (2012) Trees in relation to demolition, design and construction and BS 7370-4:1993 Grounds maintenance Recommendations for maintenance of soft landscape (other than amenity turf).

Reason: So that the Council may be satisfied with the details of the landscaping scheme, in accordance with Chapters 8, 12, 15 and 16 of the National Planning Policy Framework, Policies SI 4 (Managing heat risk), SI 13 (Sustainable drainage), G1 (Green Infrastructure), G5 (Urban Greening), G6 (Biodiversity and access to nature) and G7 (Trees and Woodlands) of the London Plan, and Policies P13 (Design of places), P14 (Design quality), P60 (Biodiversity) and P61 (Trees) of the Southwark Plan.

Commented [BZ6]: Amended to follow the format of other conditions that require details to be submitted for approval.

Commented [BZ7]: Condition has been updated to refer to "trees and shrubs"

22.23. Prior to above grade works, a revised sustainability strategy shall be submitted to and approved in writing by the Local Planning Authority detailing water efficiency measures to be implemented in the development. The development shall be completed in accordance with any details approved which shall be retained thereafter.

Reason: In order to ensure that the proposed development complies with the requirements of Policy SI 5 of the London Plan.

23.24. Within three months of completion of the development or commencement of RIBA Stage 6 (whichever occurs earlier) and in any event prior to the building being occupied (or handed over to a new owner (if applicable)), to submit the Post-Construction Whole Life-Cycle Carbon (WLC) Assessment to the local planning authority for approval who will consult with the GLA.

The developer shall use the post construction tab of the GLA's WLC assessment template and the relevant forms must be completed accurately and in their entirety in line with the criteria set out in the GLA's WLC assessment guidance. The Post-Construction Assessment should provide an update of the information submitted at planning submission stage (RIBA Stage 2/3), including the WLC carbon emission figures for all life-cycle modules based on the actual materials, products and systems used. The assessment must be submitted along with supporting evidence as required by the GLA's WLC assessment guidance and, unless otherwise agreed by the Council, within three months of the completion of the development or commencement of RIBA Stage 6 (whichever occurs earlier).

Reason: To ensure whole life-cycle carbon is calculated and reduced and to demonstrate compliance with Policy SI 2 (Minimising Greenhouse Gas Emissions) of the London Plan.

24.25. Before the first occupation of the building hereby permitted, details of the arrangements for the storing of domestic and commercial refuse shall be submitted to and approved in writing by the Local Planning Authority and the facilities approved shall be provided and made available for use by the occupiers. The facilities shall thereafter be retained and shall not be used or the space used for any other purpose.

Reason: To ensure that the refuse will be appropriately stored within the site thereby protecting the amenity of the site and the area in general from litter, odour, and potential vermin/pest nuisance in accordance with the National Planning Policy Framework 2021 and Policies P56 (Protection of amenity) and P62 (Reducing waste) of the Southwark Plan 2022.

25 -

26. Before the first occupation of the building hereby permitted, the 1no. disabled parking space as shown on the drawings hereby approved shall be provided and made available for the users of the development.

Commented [BZ9]: Implementation and retention clauses have been added

Commented [BZ10]: Updated so that the information is sent to the Council

Commented [BZ11]: Condition has been deleted as it forms part of the S278 works

Commented [BZ121: Condition added

The space provided shall thereafter be retained and shall not be used for any other purpose and the development shall not be carried out otherwise in accordance with any such approval given.

Reason:

To ensure that car parking space is provide for disabled people and the physically impaired in accordance with Policy P55 (Parking standards for disabled people and the physically impaired) of the Southwark Plan 2022, London Plan Policy T6.1 (Residential Parking) and Policy T6.5 (Non-residential disabled persons parking), and the National Planning Policy Framework (2021).

26.27. The student accommodation hereby permitted shall be designed to ensure that the following internal noise levels are not exceeded due to environmental noise:

Bedrooms - 35dB LAeg Tt. 30 dB L Aeg Tt. 45dB LAFmax Tt

Living and Dining rooms- 35dB LAeg T †

- * Night-time 8 hours between 23:00-07:00
- † Daytime 16 hours between 07:00-23:00

Reason: To ensure that the occupiers and users of the development do not suffer a loss of amenity by reason of excess noise from environmental and transportation sources in accordance with Southwark Plan Policy P56 (Protection of amenity) and the National Planning Policy Framework.

27.28. The Rated sound level from any plant, together with any associated ducting, shall not exceed the Background sound level (LA90 15min) at the nearest noise sensitive premises. Furthermore, the Specific plant sound level shall be 10dB(A) or more below the background sound level in this location. For the purposes of this condition the Background, Rating and Specific Sound levels shall be calculated fully in accordance with the methodology of BS4142:2014+A1:2019.

Reason: To ensure that the occupiers and users of the development do not suffer a loss of amenity by reason of excess noise from environmental and transportation sources in accordance with Southwark Plan policy P56 ('Protection of amenity') and the National Planning Policy Framework 2021.

29. The rooftop terrace at Level 07 which is located on the south-western elevation of the development hereby consents and as shown on approved drawing shall be open for use and carried on only between:

07:00hrs to 2200hrs on Mondays - Friday

08:00hrs to 22:00hrs on Saturdays and Sundays

Reason: To ensure that occupiers of neighbouring premises do not suffer a loss of amenity by reason of noise nuisance, in

Commented [BZ131: Condition added

accordance with Southwark Plan policy P56 ('Protection of amenity') and the National Planning Policy Framework 2021.

28.30. Party walls, floors and ceilings between the commercial premises and student accommodation shall be designed to achieve a minimum weighted standardized level difference of 60 dB DnTw+Ctr. Pre-occupation testing of the separating partition shall be undertaken for airborne sound insulation in accordance with the methodology of ISO 16283-1:2014.

Reason: To ensure that the occupiers and users of the development do not suffer a loss of amenity by reason of excess noise from environmental and transportation sources in accordance with Southwark Plan policy P56 ('Protection of amenity') and the National Planning Policy Framework 2021.

- 29.31. Prior to the commencement of any use within use class E involving the cooking of food, full particulars and details of a scheme for the extraction and ventilation of the commercial kitchen shall be submitted to the Local Planning Authority and approved in writing. The scheme shall approved shall be implemented before the use of the site under class E for the cooking of food and shall be retained thereafter. The details submitted shall include:
 - Details of extraction rate and efflux velocity of extracted air
 - Full details of grease, particle and odour abatement plant
 - The location and orientation of the extraction ductwork and discharge terminal
 - A management servicing plan for maintenance of the extraction system to ensure that fumes and odours from the kitchen to do affect public health or residential amenity. Once approved the scheme shall be implemented in full and permanently maintained thereafter.

Reason: In order to ensure that that any installed ventilation, ducting and ancillary equipment in the interests of amenity will not cause amenity impacts such as odour, fume or noise nuisance and will not detract from the appearance of the building in accordance with The National Planning Policy Framework and Southwark Plan Policy P56 (Protection of amenity).

30.32. No piling shall take place until a Piling Method Statement (detailing the depth and type of piling to be undertaken and the methodology by which such piling will be carried out, including measures to prevent and minimise the potential for damage_to subsurface sewerage infrastructure, and the programme for the works) has been submitted to and approved in writing by the Local Planning Authority in consultation with Thames Water. Any piling must be undertaken in accordance with the terms of the approved piling method statement.

Reason: The proposed works will be in close proximity to underground sewerage utility infrastructure. Piling has the potential to significantly impact / cause failure of local underground sewerage utility infrastructure. To ensure that the development does not harm groundwater resources in line with the National Planning Policy Framework paragraph 183 and Policy P64 (Contaminated land and hazardous substances) of the Southwark Plan.

31.33. Any deliveries, unloading and loading to the commercial units shall only be between the following hours:

Commented [BZ14]: Agreed and an implementation and retention requirement has been added

08.00 to 20.00hrs on Monday to Saturdays; and 10.00 to 16.00hrs on Sundays and Bank Holidays.

Reason: To ensure that the occupiers of neighbouring premises do not suffer a loss of amenity by reason of noise nuisance, and to reduce vehicle movements on the local road network during peak times, in accordance with: the National Planning Policy Framework; Policy T7 (Deliveries, Servicing and Construction) of the London Plan 2021; and Policy P50 (Highways Impacts) of the Southwark Plan 2022.

32.34. The Class E/F1(a) floorspace shall not be used except during the hours of 07.00 - 23.00 on any day.

Reason: To ensure that the occupiers of neighbouring premises do not suffer a loss of amenity by reason of noise nuisance, and to reduce vehicle movements on the local road network during peak times, in accordance with the National Planning Policy Framework 2021; Policy T7 (Deliveries, Servicing and Construction) of the London Plan; and Policy P50 (Highways Impacts) of the Southwark Plan.

33.-

34.35. The development hereby permitted shall be constructed to include the energy efficiency measures stated in the Energy Strategy prepared by JAW and submitted in support of the application. All measures and technologies shall remain for as long as the development is occupied, unless otherwise agreed in writing with the Local Planning Authority.

Reason: To ensure the development complies with the National Planning Policy Framework, Strategic Policy SP4 of the Southwark Plan, and Policy S1 2 (Minimising greenhouse gas emissions) of the London Plan.

35.36. The existing trees on or adjoining the site which are to be retained shall be protected and both the site and trees managed in accordance with the recommendations contained in the Arboricultural Method Statement. All tree protection measures shall be installed, carried out and retained throughout the period of the works, unless otherwise agreed in writing by the Local Planning Authority. In any case, all works must adhere to BS5837: (2012) Trees in relation to demolition, design and construction and BS3998: (2010) Tree work - recommendations. If within the expiration of 5 years from the date of the occupation of the building for its permitted use any retained tree is removed, uprooted is destroyed or dies, another tree shall be planted at the same place and that tree shall be of such size and species, and shall be planted at such time, as may be specified in writing by the Local Planning Authority.

Reason: To avoid damage to the existing trees which represent an important visual amenity in the area, in accordance with The National Planning Policy Framework Parts 8, 11, 12, 15 and 16, Policies G1 (Green Infrastructure), G5 (Urban Greening) and G7 (Trees and Woodlands) of the London Plan, and Policy P61 (Trees) of the Southwark Plan.

Commented [BZ15]: This condition has been deleted.