



NOTES


1. ALL LEVELS SHOWN IN METRES ABOVE ORDANCE DATUM (AOD) UNLESS OTHERWISE STATED.
2. REFER TO WID_PD-ACM-HDG-SW_DRG_ZZ_ZZ-DR-CD-0007 TO 0011 FOR INVERT AND COVER LEVELS.





Nominal diameter of pipe (mm)	Maximum Effective length (mm)
150 - 600	0.6
675 - 750	1.0
over 750	1.25




TYPICAL MANHOLE DETAIL - TYPE 2 WITH SUMP
MAX DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE 3.0m
SCALE (1:25)




TYPICAL INSPECTION CHAMBER DETAIL WITH CATCHPIT - TYPE 3
MAX DEPTH FROM COVER LEVEL TO SOFFIT OF PIPE IN AREAS SUBJECT TO VEHICLE LOADING 3.0m, NON-ENTRY
SCALE (1:25)




STANDARD M100D ACO DRAIN DETAIL
SCALE (1:10)



TYPICAL CROSS SECTION HALF BATTERED TOP WITH BASE 295
ELEVATION



OUTFALL USING MARSHALLS GULLY OUTFALL PLAN
STOP END PLAN



OUTFALL USING MARSHALLS GULLY OUTFALL SECTION

REVISION DETAILS	By	Check	Date	Suffix
	JB	GP	17/09/21	P01

Purpose of issue: **SUITABLE FOR INFORMATION**

Client: **OXFORDSHIRE COUNTY COUNCIL**

Project Title: **DIDCOT GARDEN TOWN HOUSING INFRASTRUCTURE FUND (HIF 1)**

Drawing Title: **DRAINAGE TYPICAL DETAILS SHEET 2 OF 5**

Designed	Drawn	Checked	Approved	Date
VD	JB	ART	GP	27/06/23

Internal Project No: 60632497
Scale @ A1: 1:25
Suitability: S2
Discipline: Town & Country Planner

THIS DOCUMENT HAS BEEN PREPARED PURSUANT TO AND SUBJECT TO THE TERMS OF AECOM'S APPOINTMENT BY ITS CLIENT. AECOM ACCEPTS NO LIABILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN BY ITS ORIGINAL CLIENT OR FOLLOWING AECOM'S EXPRESS AGREEMENT TO SUCH USE, AND ONLY FOR THE PURPOSES FOR WHICH IT WAS PREPARED AND PROVIDED.

Drawing Number	Volume	Type	Number	Rev
GEN_PD ACM HDG DGT_DRG_ZZ_ZZ T 0002				P02